

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((("5435310") or ("5307292"))).PN.	USPAT	OR	OFF	2006/05/18 18:34
L2	2	((("5222019") or ("5506504"))).PN.	USPAT	OR	OFF	2006/05/18 18:35
L3	2	((("5522019") or ("5506504"))).PN.	USPAT	OR	OFF	2006/05/18 19:32
L4	6191	finite adj element	USPAT	OR	ON	2006/05/18 18:39
L5	13	subdivide same 4	USPAT	OR	ON	2006/05/18 18:42
L6	78	mesh adj refinement	USPAT	OR	ON	2006/05/18 18:42
L7	15	subdivide and 6	USPAT	OR	ON	2006/05/18 18:43
L8	6	6 and segmentation	USPAT	OR	OFF	2006/05/18 19:33
L9	5	triangle same 6	USPAT	OR	OFF	2006/05/18 19:34
L10	6	abaqus and 6	USPAT	OR	OFF	2006/05/18 19:34


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((mesh refinement)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1950 &lt;and&gt; pyr &lt;= 1996)"

Your search matched 72 of 1351118 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

[Select All](#) [Deselect All](#)
[View](#)

- ☐ 1. Adaptive mesh refinement in the finite element computation of magnetic fields  
 Cendes, Z.; Shenton, D.;  
[Magnetics, IEEE Transactions on](#)  
 Volume 21, Issue 5, Sep 1985 Page(s):1811 - 1816  
[AbstractPlus](#) | Full Text: [PDF\(544 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. Adaptive mesh refinement for multilayer process simulation using the finite element method  
 Baccus, B.; Collard, D.; Dubois, E.;  
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on](#)  
 Volume 11, Issue 3, March 1992 Page(s):396 - 403  
 Digital Object Identifier 10.1109/43.124426  
[AbstractPlus](#) | Full Text: [PDF\(740 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. 3-D adaptive mesh refinement using nonconforming elements  
 Muramatsu, K.; Nakata, T.; Takahashi, N.; Fujiwara, K.;  
[Magnetics, IEEE Transactions on](#)  
 Volume 29, Issue 2, Mar 1993 Page(s):1479 - 1482  
 Digital Object Identifier 10.1109/20.250682  
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. An approach to adaptive mesh refinement for three-dimensional eddy-current computations  
 Chengjun Li; Zhuoxiang Ren; Razeq, A.;  
[Magnetics, IEEE Transactions on](#)  
 Volume 30, Issue 1, Part 1-2, Jan. 1994 Page(s):113 - 117  
 Digital Object Identifier 10.1109/20.272523  
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. A local mesh refinement algorithm for the FFD method using a polygonal grid  
 Klingbell, H.; Beilenhoff, K.; Hartnagel, H.L.;  
[Microwave and Guided Wave Letters, IEEE \[see also IEEE Microwave and Wireless Components\]](#)  
 Volume 6, Issue 1, Jan. 1996 Page(s):52 - 54  
 Digital Object Identifier 10.1109/75.482069

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(236 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ 6. **Application of complementary formulations and adaptive mesh refinements to non-linear magnetic problems**  
Chengjun Li; Zhuoxiang Ren; Razek, A.;  
[Magnetics, IEEE Transactions on](#)  
Volume 31, Issue 3, May 1995 Page(s):1376 - 1379  
Digital Object Identifier 10.1109/20.376283  
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 7. **Adaptive mesh refinement for magnetic field problems involving saturable ferromagnetic materials**  
Luomi, J.; Rouhiainen, H.;  
[Magnetics, IEEE Transactions on](#)  
Volume 24, Issue 1, Jan. 1988 Page(s):311 - 314  
Digital Object Identifier 10.1109/20.43919  
[AbstractPlus](#) | Full Text: [PDF](#)(284 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 8. **An approach for automatic adaptive mesh refinement in finite element computation of magnetic fields**  
Raizer, A.; Meunier, G.; Coulomb, J.-L.;  
[Magnetics, IEEE Transactions on](#)  
Volume 25, Issue 4, July 1989 Page(s):2965 - 2967  
Digital Object Identifier 10.1109/20.34339  
[AbstractPlus](#) | Full Text: [PDF](#)(196 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 9. **A local mesh refinement algorithm for the time domain-finite difference method using Maxwell's equations**  
Kim, I.S.; Hoefer, W.J.R.;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 38, Issue 6, June 1990 Page(s):812 - 815  
Digital Object Identifier 10.1109/22.130985  
[AbstractPlus](#) | Full Text: [PDF](#)(332 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 10. **Adaptive mesh refinement for boundary element method and its application to stripline analysis**  
Dong-Kuk Park; Chang-Hoi Ahn; Soo-Young Lee; Jung-Woong Ra;  
[Magnetics, IEEE Transactions on](#)  
Volume 26, Issue 2, Mar 1990 Page(s):783 - 786  
Digital Object Identifier 10.1109/20.106434  
[AbstractPlus](#) | Full Text: [PDF](#)(208 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 11. **Adaptive refinement of first order tetrahedral meshes for magnetostatics using local Delaunay refinement**  
Nehl, T.W.; Field, D.A.;  
[Magnetics, IEEE Transactions on](#)  
Volume 27, Issue 5, Sep 1991 Page(s):4193 - 4196  
Digital Object Identifier 10.1109/20.105026  
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 12. **Recursive M-tree method for 3-D adaptive tetrahedral mesh refinement and its application to device simulation**  
Wang, E.X.; Giles, M.D.; Sia Yu; Leon, F.A.; Hiroki, A.; Odanaka, S.;  
[Simulation of Semiconductor Processes and Devices, 1996. SISPAD 96. 1996 International Conference on](#)  
2-4 Sept. 1996 Page(s):67 - 68  
[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEEE CNF  
[Rights and Permissions](#)

- ☐ 13. **Modelling of a loaded cavity with automatic adaptive mesh refinement**  
Li, C.; Pichon, L.; Ren, Z.; Razek, A.;  
[Computation in Electromagnetics, 1994. Second International Conference on](#)  
12-14 Apr 1994 Page(s):150 - 153  
[AbstractPlus](#) | Full Text: [PDF](#)(176 KB) IEE CNF
  
- ☐ 14. **Nonlinear 3D numerical field calculation of a magnetic recording head**  
Jacobus, A.;  
[Magnetics, IEEE Transactions on](#)  
Volume 24, Issue 1, Jan. 1988 Page(s):548 - 551  
Digital Object Identifier 10.1109/20.43982  
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 15. **3-dimensional, adaptive FE-preprocessing using a programmable CAD-system**  
Schmoellebeck, F.; Haas, H.;  
[Magnetics, IEEE Transactions on](#)  
Volume 24, Issue 1, Jan. 1988 Page(s):370 - 373  
Digital Object Identifier 10.1109/20.44002  
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 16. **Advanced two dimensional automatic triangular mesh generation for DE2D interactive softw**  
Miao, Y.; Fan, M.; Yan, W.;  
[Magnetics, IEEE Transactions on](#)  
Volume 24, Issue 1, Jan. 1988 Page(s):318 - 321  
Digital Object Identifier 10.1109/20.43921  
[AbstractPlus](#) | Full Text: [PDF](#)(260 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 17. **Local error estimates for adaptive mesh refinement**  
Fernandes, P.; Girdinio, P.; Molfino, P.; Repetto, M.;  
[Magnetics, IEEE Transactions on](#)  
Volume 24, Issue 1, Jan. 1988 Page(s):299 - 302  
Digital Object Identifier 10.1109/20.43916  
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 18. **Semiconductor device simulation using adaptive refinement and flux upwinding**  
Sharma, M.; Carey, G.F.;  
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on](#)  
Volume 8, Issue 6, June 1989 Page(s):590 - 598  
Digital Object Identifier 10.1109/43.31515  
[AbstractPlus](#) | Full Text: [PDF](#)(632 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 19. **Hermitian finite-element method for Inhomogeneous waveguides**  
Israel, M.; Miniowitz, R.;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 38, Issue 9, Sept. 1990 Page(s):1319 - 1327  
Digital Object Identifier 10.1109/22.58659  
[AbstractPlus](#) | Full Text: [PDF](#)(560 KB) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ 20. **An enhanced error estimator procedure for finite element field computation with adaptive m**  
Fernandes, P.; Girdinio, P.; Molfino, P.; Repetto, M.;  
[Magnetics, IEEE Transactions on](#)  
Volume 26, Issue 5, Sep 1990 Page(s):2187 - 2189

Digital Object Identifier 10.1109/20.104664

[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE JNL

[Rights and Permissions](#)



**21. An adaptive finite element method for magnetostatic force computations**

Yong Gyu Park; Hyeong-Seok Kim; Song-Yop Hahn;

[Magnetics, IEEE Transactions on](#)

Volume 26, Issue 2, Mar 1990 Page(s):1031 - 1034

Digital Object Identifier 10.1109/20.106496

[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE JNL

[Rights and Permissions](#)



**22. A comparison of adaptive strategies for mesh refinement based on 'a posteriori' local error procedures**

Fernandes, P.; Girdinio, P.; Mofino, P.; Molinari, G.; Repetto, M.;

[Magnetics, IEEE Transactions on](#)

Volume 26, Issue 2, Mar 1990 Page(s):795 - 798

Digital Object Identifier 10.1109/20.106437

[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE JNL

[Rights and Permissions](#)



**23. Problem-oriented adaptive mesh-generation for accurate finite-element calculation**

Tamhuvud, T.; Reichert, K.; Skoczylas, J.;

[Magnetics, IEEE Transactions on](#)

Volume 26, Issue 2, Mar 1990 Page(s):779 - 782

Digital Object Identifier 10.1109/20.106433

[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE JNL

[Rights and Permissions](#)



**24. Advances in adaptive parallel processing for field applications**

Biswas, R.; Flaherty, J.E.; Benantar, M.;

[Magnetics, IEEE Transactions on](#)

Volume 27, Issue 5, Sep 1991 Page(s):3768 - 3773

Digital Object Identifier 10.1109/20.104924

[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE JNL

[Rights and Permissions](#)



**25. A three dimensional adaptive finite element method for magnetostatic problems**

Kim, H.; Hong, S.; Choi, K.; Jung, H.; Hahn, S.;

[Magnetics, IEEE Transactions on](#)

Volume 27, Issue 5, Sep 1991 Page(s):4081 - 4084

Digital Object Identifier 10.1109/20.104998

[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEEE JNL

[Rights and Permissions](#)

[View](#)

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IE

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((("5435310") or ("5307292"))).PN.	USPAT	OR	OFF	2006/05/18 18:34
L2	2	((("5222019") or ("5506504"))).PN.	USPAT	OR	OFF	2006/05/18 18:35
L3	2	((("5522019") or ("5506504"))).PN.	USPAT	OR	OFF	2006/05/18 19:32
L4	6191	finite adj element	USPAT	OR	ON	2006/05/18 18:39
L5	13	subdivide same 4	USPAT	OR	ON	2006/05/18 21:11
L6	78	mesh adj refinement	USPAT	OR	ON	2006/05/18 18:42
L7	15	subdivide and 6	USPAT	OR	ON	2006/05/18 18:43
L8	6	6 and segmentation	USPAT	OR	OFF	2006/05/18 19:33
L9	5	triangle same 6	USPAT	OR	OFF	2006/05/18 19:34
L10	6	abaqus and 6	USPAT	OR	OFF	2006/05/18 19:37
L11	1	("7010149").PN.	USPAT	OR	OFF	2006/05/18 20:22
L12	0	Barycentric adj Subdivisionn	USPAT	OR	OFF	2006/05/18 20:22
L13	2	Barycentric adj3 Subdivision	USPAT	OR	OFF	2006/05/18 20:22
L14	2	triangle with subdivide with midpoint	USPAT	OR	ON	2006/05/18 20:36
L15	40	triangle with subdivi\$4 same midpoint	USPAT	OR	ON	2006/05/18 21:11
L16	0	trianguar adj2 mesh	USPAT	OR	ON	2006/05/18 21:11
L17	450	triangular adj2 mesh	USPAT	OR	ON	2006/05/18 21:11
L18	14	subdivi\$3 same 17	USPAT	OR	ON	2006/05/18 21:11

[Sign in](#)

W b Images Groups News Froogle Maps mor »

segmentation volume "triangular" mesh 1997

Search

[Advanced Search](#)  
[Preferences](#)**Web**

Results 11 - 20 of about 33,700 for segmentation volume "triangular" mesh 1997. (0.10 seconds)

**[PDF] Geometric Snakes for Triangular Meshes**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**V** olume 21 (2002), Number 3. Geometric Snakes for **Triangular Meshes**. Yunjin Lee ... A geometric snake for a **triangular mesh** is represented by ...  
[www.postech.ac.kr/~leesy/ftp/eg02.pdf](http://www.postech.ac.kr/~leesy/ftp/eg02.pdf) - [Similar pages](#)

**[PDF] Hierarchical Isosurface Segmentation Based on Discrete Curvature**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Triangular mesh**. Multiresolution. **Segmentation**. Topology graph. Smoothed data. MRI data ... **volume** data by using standard isosurface-extraction meth- ...  
[www-evasion.imag.fr/Membres/ Georges-Pierre.Bonneau/PAPER/vissym03.pdf](http://www-evasion.imag.fr/Membres/Georges-Pierre.Bonneau/PAPER/vissym03.pdf) - [Similar pages](#)

**Kenji Shimada -- Publications**

Shimada, K. and D. Gossard, "Automatic **Triangular Mesh** Generation of Trimmed ...  
 Vieira, M. and K. Shimada, "Surface **Mesh Segmentation** and Smooth Surface ...  
[www.andrew.cmu.edu/~shimada/publications.htm](http://www.andrew.cmu.edu/~shimada/publications.htm) - 84k - [Cached](#) - [Similar pages](#)

**[Paper] A Cardiac Package for Assessment of Ventricular Function ...**

The package performs MRI image **segmentation**, reconstruction and ... Corresponding points in adjacent slices are joined by a **triangular mesh** whose density ...  
[www.actapress.com/PDFViewer.aspx?paperId=14382](http://www.actapress.com/PDFViewer.aspx?paperId=14382) - [Similar pages](#)

**[PDF] Denition of Volume Transformations for Volume Interaction**File Format: PDF/Adobe Acrobat - [View as HTML](#)

environment allows **segmentation** 11] of **volume** objects from dierent ... shall each build a **triangular** patch, if the model is displayed with shaded surfaces. ...  
[www.uke.uni-hamburg.de/~downloads/ institut-medizinische-informatik/schiemann-ipmi1997.pdf](http://www.uke.uni-hamburg.de/~downloads/institut-medizinische-informatik/schiemann-ipmi1997.pdf) - [Similar pages](#)

**[PDF] Brain Mapping Using Topology Graphs Obtained by Surface Segmentation**File Format: PDF/Adobe Acrobat - [View as HTML](#)

tex from the **volume** data. The boundary of the brain cortex is obtained via ... of a **triangular mesh** can be defined by the length of a vector operator ...  
[graphics.cs.ucdavis.edu/~hamann/ VivodtzevLinsenHamannJoyOlshausen2006.pdf](http://graphics.cs.ucdavis.edu/~hamann/VivodtzevLinsenHamannJoyOlshausen2006.pdf) - [Similar pages](#)

**Keith Price Bibliography Register 3-D Surfaces, Range Registration**

Registration of head **volume** images using implantable fiducial markers, ... 3D **Triangular Mesh** Matching Through a Sequence of Registered 2d and 3d Images, ...  
[iris.usc.edu/Vision-Notes/bibliography/match-pl537.html](http://iris.usc.edu/Vision-Notes/bibliography/match-pl537.html) - 91k - [Cached](#) - [Similar pages](#)

**[PS] A Sensitivity Analysis of Brain Morphometry Based on MRI-Derived ...**File Format: Adobe PostScript - [View as HTML](#)

The technique directly builds a **triangular mesh** surface model from a discrete **volume** isosurface. It is expected that similar results would beobtained if the ...  
[cfi.lbl.gov/data\\_analysis/pub\\_list/pubs/spie98\\_gjk.ps](http://cfi.lbl.gov/data_analysis/pub_list/pubs/spie98_gjk.ps) - [Similar pages](#)

**[PDF] Parametric Display of Myocardial Function**

File Format: PDF/Adobe Acrobat - [View as HTML](#)


**Segmentation** of anatomic structures, which isolates specific objects in an image, ... This first **triangular mesh** deforms to fit every **volume** ...

[www.mayo.edu/bir/PDF/EusemannCMI.pdf](http://www.mayo.edu/bir/PDF/EusemannCMI.pdf) - [Similar pages](#)

[Processing and visualizing three-dimensional ultrasound data ...](#)

The enclosed **volume** is readily calculated from the **triangular mesh** ... Following **segmentation**, powerful algorithms exist to estimate a **volume** from, ...

[bjr.birjournals.org/cgi/content/full/77/suppl\\_2/S186](http://bjr.birjournals.org/cgi/content/full/77/suppl_2/S186) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

segmentation volume "triangular" mesh

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google